Unit Topic: Inference for Quantitative Data: Slopes Grade level: AP Stats Length of lesson: 5 days

Stage 1 – Desired Results		
Content Standard(s):		
 HSS.ID.A.1 Represent data with plots on the real number line (dot plots, histograms, and box plots). 		
 HSS.ID.A.2 Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets. 		
 HSS.ID.A.3 Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers). HSS.ID.B.5 Summarize categorical data for two categories in two way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations 		
 and trends in the data. HSS.ID.B.6 Represent data on two quantitative variables on a scatter plot, and describe how the variables are related. 		
 HSS.IC.A.1 Understand statistics as a process for making inferences about population parameters based on a random sample from that population. 		
 HSS.IC.A.2 Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. For example, a model says a spinning coin falls heads up with probability 0.5. Would a result of 5 tails in a row cause you to question the model? 		
HSS.IC.B.3 Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to		
 each. HSS.IC.B.4 Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling. 		
• HSS.IC.B.5 Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant.		
 HSS.IC.B.6 Evaluate reports based on data. HSS.CP.A.1 Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events ("or," "and," "not"). 		
Understanding (s)/goals	Essential Question(s):	
Students will understand:	How can there be variability in	
Given that variation may be	slope if the slope statistic is	
random or not, conclusions are	uniquely determined for a line of	
uncertain.An interval of values should be	best fit?When is it appropriate to perform	
used to estimate parameters, in	inference about the slope of a	
order to account for uncertainty.	population regression line based on	
• The t-distribution may be used to	sample data?	
model variationSignificance testing allows us to	Why do we not conclude that there is no correlation between two	

	veriables based on the results of a	
make decisions about hypotheses within a particular context	variables based on the results of a statistical inference for slopes?	
 Student objectives (outcomes): Students will be able to: Check the conditions for performing inference about the slope β of the population (true) regression line. Interpret the values of a, b, s, and SE_b in context, and determine these values from computer output. Construct and interpret a confidence interval for the slope β of the population (true) regression line. Perform a significance test about the slope β of the population (true) regression line. 		
Stage 2 – Assessment Evidence		
Performance Task(s): Stage 3 – Lo Learning Activities:	• earning Plan	